Table of Contents) 🔍

2.8

What you should learn

GOAL(1) Represent absolute value functions.

GOAL(2) Use absolute value functions to model **real-life** situations, such as playing pool in **Example 4**.

Why you should learn it

▼ To solve **real-life** problems, such as when an orchestra should reach a desired sound level in **Exs. 44 and 45**.



122

Absolute Value Functions

Full Page View

(目)



REPRESENTING ABSOLUTE VALUE FUNCTIONS

Section

≪<

Page

Page 1 of 7


Section

20

In Lesson 1.7 you learned that the absolute value of *x* is defined by:

	$\int x,$	if x > 0
x =	{ 0,	if x = 0
		if x < 0

The graph of this piecewise function consists of two rays, is V-shaped, and opens up. The corner point of the graph, called the **vertex**, occurs at the origin.



Notice that the graph of y = |x| is symmetric in the *y*-axis because for every point (x, y) on the graph, the point (-x, y) is also on the graph.


ACTIVITY Developing

Concepts

Graphs of Absolute Value Functions

- 1 In the same coordinate plane, graph y = a |x| for $a = -2, -\frac{1}{2}, \frac{1}{2}$, and 2. What effect does *a* have on the graph of y = a |x|? What is the vertex of the graph of y = a |x|?
- 2 In the same coordinate plane, graph y = |x h| for h = -2, 0, and 2. What effect does *h* have on the graph of y = |x - h|? What is the vertex of the graph of y = |x - h|?
- In the same coordinate plane, graph y = |x| + k for k = -2, 0, and 2. What effect does k have on the graph of y = |x| + k? What is the vertex of the graph of y = |x| + k?

Although in the activity you investigated the effects of *a*, *h*, and *k* on the graph of y = a |x - h| + k separately, these effects can be combined. For example, the graph of y = 2 |x - 4| + 3 is shown in red along with the graph of y = |x| in blue. Notice that the vertex of the red graph is (4, 3) and that the red graph is narrower than the blue graph.



Section Page

GRAPHING ABSOLUTE VALUE FUNCTIONS

Full Page View

(目)

The graph of y = a |x - h| + k has the following characteristics.

- The graph has vertex (h, k) and is symmetric in the line x = h.
- The graph is V-shaped. It opens up if a > 0 and down if a < 0.
- The graph is wider than the graph of y = |x| if |a| < 1.
 - The graph is narrower than the graph of y = |x| if |a| > 1.

Student Help Skills Review

For help with symmetry, see p. 919.

To graph an absolute value function you may find it helpful to plot the vertex and one other point. Use symmetry to plot a third point and then complete the graph.


EXAMPLE 1

Graphing an Absolute Value Function

Graph y = -|x+2| + 3.

SOLUTION

To graph y = -|x + 2| + 3, plot the vertex at (-2, 3). Then plot another point on the graph, such as (-3, 2). Use symmetry to plot a third point, (-1, 2). Connect these three points with a V-shaped graph. Note that a = -1 < 0 and |a| = 1, so the graph opens down and is the same width as the graph of y = |x|.



(2,

2

-3)

EXAMPLE 2 Writing a

Writing an Absolute Value Function

Write an equation of the graph shown.

SOLUTION

The vertex of the graph is (0, -3), so the equation has the form:

y = a |x - 0| + (-3) or y = a |x| - 3

To find the value of a, substitute the coordinates of the point (2, 1) into the equation and solve.

$\mathbf{y} = a \left \mathbf{x} \right - 3$	Write equation.
1 = a 2 - 3	Substitute 1 for y and 2 for x.
1 = 2a - 3	Simplify.
4 = 2a	Add 3 to each side.
2 = a	Divide each side by 2.

An equation of the graph is y = 2|x| - 3.

CHECK Notice the graph opens up and is narrower than the graph of y = |x|, so 2 is a reasonable value for *a*.

Section





EXAMPLE 3

3 Interpreting an Absolute Value Function

The front of a camping tent can be modeled by the function

Full Page View

(目)


y = -1.4 |x - 2.5| + 3.5

where *x* and *y* are measured in feet and the *x*-axis represents the ground.

- a. Graph the function.
- **b**. Interpret the domain and range of the function in the given context.

SOLUTION

- **a.** The graph of the function is shown. The vertex is (2.5, 3.5) and the graph opens down. It is narrower than the graph of y = |x|.
- **b.** The domain is $0 \le x \le 5$, so the tent is 5 feet wide. The range is $0 \le y \le 3.5$, so the tent is 3.5 feet tall.





EXAMPLE 4 Interpreting an Absolute Value Graph

While playing pool, you try to shoot the eight ball into the corner pocket as shown. Imagine that a coordinate plane is placed over the pool table.

The eight ball is at $(5, \frac{5}{4})$ and the pocket you are aiming for is at (10, 5). You are going to bank the ball off the side at (6, 0).

- **a**. Write an equation for the path of the ball.
- **b.** Do you make your shot?



a. The vertex of the path of the ball is (6, 0), so the equation has the form y = a | x - 6 |. Substitute the coordinates of the point $\left(5, \frac{5}{4}\right)$ into the equation and solve for *a*.


$$\frac{5}{4} = a | 5 - 6 |$$
Substitute $\frac{5}{4}$ for y and 5 for x.
 $\frac{5}{4} = a$
Solve for a.

An equation for the path of the ball is $y = \frac{5}{4} |x - 6|$.

b. You will make your shot if the point (10, 5) lies on the path of the ball.

5
$$\stackrel{?}{=} \frac{5}{4} | \mathbf{10} - 6 |$$
 Substitute 5 for y and 10 for x.
5 = 5 \checkmark Simplify.


The point (10, 5) satisfies the equation, so you do make your shot.



		Full Page View	Section	Page		Page	Section
Go to classzone.com	Table of Contents		<<>>)	<	Page 4 of 7	\triangleright	>>>)

GUIDED PRACTICE

- Vocabulary Check 🗸
 - Concept Check 🗸
- **1.** What do the coordinates (h, k) represent on the graph of y = a |x - h| + k?
- **2**. How do you know if the graph of y = a |x h| + kopens up or down? How do you know if it is wider, narrower, or the same width as the graph of y = |x|?
- 3. ERROR ANALYSIS Explain why the graph shown is not the graph of y = |x + 3| + 2.




Skill Check 🗸

Graph the function. Then identify the vertex, tell whether the graph opens up or down, and tell whether the graph is wider, narrower, or the same width as the graph of y = |x|.

4.
$$y = \frac{1}{2}|x|$$

5. $y = |x + 5|$
7. $y = |x| + 5$
8. $y = 2|x + 6| - 10$

- **10.** Write an equation for the function whose graph is shown.
- **11. CAMPING** Suppose that the tent in Example 3 is 7 feet wide and 5 feet tall. Write a function that models the front of the tent. Let the x-axis represent the ground. Then graph the function and identify the domain and range of the function.



Ex. 10


PRACTICE AND APPLICATIONS


STUDENT HELP

Extra Practice to help you master skills is on p. 942.


STUDENT HELP


► HOMEWORK HELP Example 1: Exs. 12-25 Example 2: Exs. 34-39 Example 3: Exs. 40-45 Example 4: Exs. 46-48







EXAMINING THE EFFECT OF *a* Match the function with its graph.






EXAMINING THE EFFECTS OF *h* **AND** *k* **Match the function with its graph.**





C.



GRAPHING ABSOLUTE VALUE FUNCTIONS Graph the function. Then identify the vertex, tell whether the graph opens up or down, and tell whether the graph is wider, narrower, or the same width as the graph of y = |x|.

18. y = 6 |x - 7| **19.** y = |x| + 9

 20. y = -|x - 8| + 1 **21.** y = -|x + 2| + 11


 22. $y = \frac{1}{3} |x - 3| + 4$ **23.** y = -2 |x + 9| + 3

 24. $y = |x| - \frac{5}{2}$ **25.** $y = -\frac{1}{2} |x + 6|$

ABSOLUTE VALUE On many graphing calculators |x| is denoted by ABS(x). Use a graphing calculator to graph the absolute value function. Then use the *Trace* feature to find the corresponding *x*-value(s) for the given *y*-value.

26. y = |x| + 4; y = 10**27.** y = |x + 14|; y = 9**28.** $y = 15 |x|; y = \frac{3}{2}$ **29.** $y = |x + \frac{4}{7}| - 5; y = 0$ **30.** y = -|x - 2| + 5; y = 0.5**31.** y = -3.2 |x| + 7; y = -2**32.** y = -3.75 |x + 1.5| - 5; y = -5**33.** y = 1.5 |x - 3| + 6; y = 8.25

WRITING EQUATIONS Write an equation of the graph shown.



SINGLES IN Exercises 40 and 41, use the following information.

A musical group's new single is released. Weekly sales *s* (in thousands) increase steadily for a while and then decrease as given by the function s = -2|t - 20| + 40 where *t* is the time (in weeks).

40. Graph the function.

41. What was the maximum number of singles sold in one week?

SAINSTORMS In Exercises 42 and 43, use the following information.

A rainstorm begins as a drizzle, builds up to a heavy rain, and then drops back to a drizzle. The rate *r* (in inches per hour) at which it rains is given by the function r = -0.5 |t - 1| + 0.5 where *t* is the time (in hours).

42. Graph the function.

43. For how long does it rain and when does it rain the hardest?



STUDENT HELP

KEYSTROKE HELP

www.mcdougallittell.com

to see keystrokes for several models of

Visit our Web site

ERNEY

calculators.

MUSIC SINGLES

A musical group's single will change position in the charts from week to week. The Beatles were at No. 1 most often with a total of 22 hit singles.




		Fi	ull Page View	Section	Page		Page	Section
(i) Go to classzone.com	Table of Contents	$\mathcal{P}(\mathcal{P}(\mathcal{P}))$			<	Page 6 of 7	\triangleright	>>>

SOUND LEVELS In Exercises 44 and 45, use the following information.

Suppose a musical piece calls for an orchestra to start at *fortissimo* (about 90 decibels), decrease in loudness to *pianissimo* (about 50 decibels) in four measures, and then increase back to *fortissimo* in another four measures. The sound level *s* (in decibels) of the musical piece can be modeled by the function s = 10 | m - 4 | + 50 where *m* is the number of measures.

- **44**. Graph the function for $0 \le m \le 8$.
- **45.** After how many measures should the orchestra be at the loudness of *mezzo forte* (about 70 decibels)?
- **46. Solution MINIATURE GOLF** You are trying to make a holein-one on the miniature golf green shown. Imagine that a coordinate plane is placed over the golf green. The golf ball is at (2.5, 2) and the hole is at (9.5, 2). You are going to bank the ball off the side wall of the green at (6, 8). Write an equation for the path of the ball and determine if you make your shot.



- **47. SREFLECTING SUNLIGHT** You are sitting in a boat on a lake. You can get a sunburn from sunlight that hits you directly and from sunlight that reflects off the water. Sunlight reflects off the water at the point (2, 0) and hits you at the point (3.5, 3). Write and graph the function that shows the path of the sunlight.
- **48. (S) TRANSAMERICA PYRAMID** The Transamerica Pyramid, shown at the right, is an office building in San Francisco. It stands 853 feet tall and is 145 feet wide at its base. Imagine that a coordinate plane is placed over a side of the building. In the coordinate plane, each unit represents one foot, and the origin is at the center of the building's base. Write an absolute value function whose graph is the V-shaped outline of the sides of the building, ignoring the "shoulders" of the building.
- **49. MULTIPLE CHOICE** Which statement is true about the graph of the function y = -|x + 2| + 3?

A Its vertex is at (2, 3).

- C It opens down.
- (D) It is wider than the graph of y = |x|.

(B) Its vertex is at (-2, -3).

50. MULTIPLE CHOICE Which function is represented by the graph shown?

(A)
$$y = -|x - 10| + 2$$

(B) $y = -|x + 10| - 2$
(C) $y = -|x - 2| - 10$

(D) y = -|x+2| + 10

🛧 Challenge

EXTRA CHALLENGE

TUDENT HELP

HOMEWORK HELP

www.mcdougallittell.com

Test §

Preparation

for help with problem solving in Ex. 48.

Visit our Web site

www.mcdougallittell.com

51.
$$y = |2x|$$
 and $y = 2|x|$

53.
$$y = |x + 6|$$
 and $y = |x|$ -

- **52.** y = |-5x| and y = 5|x|+ 6 **54.** y = |x + (-3)| and y = |x| + 3
- **55.** Based on your answers to Exercises 51–54, do you think $|ab| = |a| \cdot |b|$ and |a+b| = |a| + |b| are true statements? Explain.





MIXED REVIEW

REWRITING EQUATIONS Solve the equation for *y*. (Review 1.4)

56. $3x - 5y = 8$ 57. $6x + 2y = 8$	$= -9 \qquad 58\frac{1}{5}x - \frac{3}{2}y = 1$
---	---

GRAPHING EQUATIONS Graph the equation. (Review 2.3 for 3.1)

59 . $y = x - 5$	60. $y = 6x + 7$	61. $y = -\frac{1}{2}x + 10$
62. $x + y = 8$	63. $4x + y = 2$	64. $3x - y = -1$

FITTING A LINE TO DATA Draw a scatter plot of the data. Then approximate the best-fitting line for the data. (Review 2.5)

65.	x	-2	-1.5	-1	-0.5	0.5	1	1	1.5	2	2
	y	-5	-3	-1	-2	1	-1	2	4	3	3
66 .	x	-2	-1	0	0.5	1	2	2.5	3.5	4	4.5
	y	5	3	3.5	1.5	2	0	-2	-3.5	-2	-3.5

QUIZ 3

Self-Test for Lessons 2.6–2.8

Graph the inequality in a coordinate plane. (Lesson 2.6)

1.
$$y \le -8$$
 2. $2x \ge -5$ **3.** $y > 3x - 4$ **4.** $2x + 5y < 15$


Evaluate the function for the given value of *x*. (Lesson 2.7)

5.
$$f(5)$$
 where $f(x) = \begin{cases} 3x + 9, & \text{if } x \le 3\\ 2x - 3, & \text{if } x > 3 \end{cases}$ 6. $f(0)$ where $f(x) = \begin{cases} 10, & \text{if } -1 \le x < 0\\ 5, & \text{if } 0 \le x < 1\\ 0, & \text{if } 1 \le x < 2 \end{cases}$

Graph the function. (Lesson 2.8)

7. y = 3 |x - 2| **8.** y = -|x| + 6 **9.** y = -5 |x + 3| - 8

Write an equation of the graph shown. (Lesson 2.8)



- **13.** Seach SNACKS You and four friends have \$15 to spend on snacks at the beach. A medium box of popcorn costs \$2.50 and a medium soft drink costs \$1.25. Write and graph an inequality that represents the numbers of medium boxes of popcorn and medium soft drinks you can buy. (Lesson 2.6)
- 14. S **RENTING A CAR** A local car rental company charges a weekly rate of \$200 with 1000 free miles. Each additional mile is \$.20. Write and graph a piecewise function that shows the car rental charge. If you drive 1200 miles in one week, how much will the rental car cost? (Lesson 2.7)