Table of Contents

Section Page Page 1 of 7 Section

20

Page



What you should learn

GOAL Graph a system of linear inequalities to find the solutions of the system.

GOAL 2 Use systems of linear inequalities to solve real-life problems, such as finding a person's target heart rate zone in **Example 3**.

Why you should learn it

To solve real-life problems, such as finding out how a moose can satisfy its nutritional requirements in Ex. 58.



Graphing and Solving Systems of Linear Inequalities



GRAPHING A SYSTEM OF INEQUALITIES

The following is a **system of linear inequalities** in two variables.

Full Page View

目)

 $\begin{array}{l} x + y \le 6\\ 2x - y > 4 \end{array}$ **Inequality 1 Inequality 2**

A **solution** of a system of linear inequalities is an ordered pair that is a solution of each inequality in the system. For example, (3, -1) is a solution of the system above. The graph of a system of linear inequalities is the graph of all solutions of the system.

🜔 ACTIVITY



Investigating Graphs of Systems of Inequalities

The coordinate plane shows the four regions determined by the lines 3x - y = 2 and 2x + y = 1. Use the labeled points to help you match each region with one of the systems of inequalities.

a. $3x - y \le 2$	b. $3x - y \ge 2$
$2x + y \le 1$	$2x + y \ge 1$
c. $3x - y \ge 2$ $2x + y \le 1$	$\begin{array}{l} \textbf{d.} \ 3x - y \leq 2\\ 2x + y \geq 1 \end{array}$



As you saw in the activity, a system of linear inequalities defines a region in a plane. Here is a method for graphing the region.

GRAPHING A SYSTEM OF LINEAR INEQUALITIES

To graph a system of linear inequalities, do the following for each inequality in the system:

- · Graph the line that corresponds to the inequality. Use a dashed line for an inequality with < or > and a solid line for an inequality with \le or \ge .
- · Lightly shade the half-plane that is the graph of the inequality. Colored pencils may help you distinguish the different half-planes.

The graph of the system is the region common to all of the half-planes. If you used colored pencils, it is the region that has been shaded with every color.

	Full Page View	Section Page	Page Section
Go to classzone.com	Table of Contents	Page 2 of 7	

EXAMPLE 1

Graphing a System of Two Inequalities

STUDENT HELP

• **Look Back** For help with graphing a linear inequality, see p. 109.

Graph the system.

$y \ge -3x - 1$	Inequality 1
y < x + 2	Inequality 2

SOLUTION

Begin by graphing each linear inequality. Use a different color for each half-plane. For instance, you can use red for Inequality 1 and blue for Inequality 2. The graph of the system is the region that is shaded purple.



.

You can also graph a system of three or more linear inequalities.

EXAMPLE 2

Graphing a System of Three Inequalities

Graph the system.

$x \ge 0$	Inequality 1
$y \ge 0$	Inequality 2
$4x + 3y \le 24$	Inequality 3

SOLUTION

Inequality 1 and Inequality 2 restrict the solutions to the first quadrant. Inequality 3 is the half-plane that lies on and below the line 4x + 3y = 24. The graph of the system of inequalities is the triangular region shown below.



Table of Contents

FOCUS ON CAREERS



PERSONAL TRAINER

A personal trainer can help you assess your fitness level and set exercise goals. As described in Example 3, one way to do this is by monitoring your heart rate.

CAREER LINK www.mcdougallittell.com

GOAL 2 USING SYSTEMS OF INEQUALITIES IN REAL LIFE

Full Page View

(目)

You can use a system of linear inequalities to describe a real-life situation, as shown in the following example.

EXAMPLE 3

Writing and Using a System of Inequalities

HEART RATE A person's theoretical maximum heart rate is 220 - x where x is the person's age in years ($20 \le x \le 65$). When a person exercises, it is recommended that the person strive for a heart rate that is at least 70% of the maximum and at most 85% of the maximum.

- **a.** You are making a poster for health class. Write and graph a system of linear inequalities that describes the information given above.
- **b.** A 40-year-old person has a heart rate of 150 (heartbeats per minute) when exercising. Is the person's heart rate in the target zone?

SOLUTION

x

х

y y

a. Let *y* represent the person's heart rate. From the given information, you can write the following four inequalities.

≥ 20	Person's age must be at least 20.		
≤ 65	Person's age can be at most 65.		
$\geq 0.7(220 - x)$	Target rate is at least 70% of maximum rate.		
$\leq 0.85(220 - x)$	Target rate is at most 85% of maximum rate.		

The graph of the system is shown below.



b. From the graph you can see that the target zone for a 40-year-old person is between 126 and 153, inclusive. That is,

$$126 \le y \le 153$$

A 40-year-old person who has a heart rate of 150 is within the target zone.

	Full Page View	Section Page	Page Section
Go to classzone.com	Table of Contents	Page 4 of 7	



years old and at most 55 years old, and you must be between 60 and 74 inches tall, inclusive. Let *x* represent a person's age (in years) and let *y* represent a person's height (in inches). Write and graph a system of linear inequalities showing the possible ages and heights for flight attendants.

PRACTICE AND APPLICATIONS

STUDENT HELP

 Extra Practice to help you master skills is on p. 943.

STUDENT HELP

 HOMEWORK HELP
 Example 1: Exs. 12, 13, 15–17, 21, 22, 27–38
 Example 2: Exs. 14, 18–20, 23–26, 39–50
 Example 3: Exs. 51–58 **CHECKING A SOLUTION** Tell whether the ordered pair is a solution of the system.



FINDING A SOLUTION Give an ordered pair that is a solution of the system.

15. $x - y \ge 3$ y < 15	16. $x + y < 6$ $x \ge -2$	17. $4x > y$ $x \le 12$
18. $x \ge -7$	19. <i>y</i> > −5	20. $y \ge -x$
<i>y</i> < 10	x > 3	$y \ge 0$
x < y	2x + y < 13	x < 0

HOMEWORK HELP Visit our Web site www.mcdougallittell.com for help with Exs. 21–26.

MATCHING SYSTEMS AND GRAPHS Match the system of linear inequalities with its graph.



SYSTEMS OF TWO INEQUALITIES Graph the system of linear inequalities.

27. $x < 5$	28. $y > -2$	29. $x \ge 0$
x > -4	$y \le 1$	x + y < 11
30. $x + y \ge -2$	31. $y \ge -4$	32. $y > 2x - 7$
-5x + y < -3	y < -2x + 10	4x + 4y < -12
33. $y < x + 4$	34. $x + y > -8$	35. $y > -3x$
$y \ge -2x + 1$	$x + y \le 6$	$x \le 5y$
36. $x - y > 7$	37. $7x + y > 0$	38. $-x < y$
2x + y < 8	$3x - 2y \le 5$	x + 3y > 8

SYSTEMS OF THREE OR MORE INEQUALITIES Graph the system of linear inequalities.

39. <i>y</i> < 4	40. <i>y</i> ≥ 1	41. $2x - 3y > -6$
x > -3	$x \le 6$	5x - 3y < 3
y > x	y < 2x - 5	x + 3y > -3
42. $x - 4y > 0$	43. $2x + 1 \ge y$	44. $5x - 3y \le 4$
$x + y \le 1$	x < 5	x + y < 8
x + 3y > -1	y < x + 2	y > 3
45. $x \ge y - 2$	46. <i>y</i> ≥ 0	47. $x - y \ge 0$
x + y > 1	x - 4y < 2	y < 2x
<i>x</i> < 10	y < x	$5x + 6y \ge 1$
48. <i>y</i> ≥ 0	49. <i>x</i> + <i>y</i> ≤ 4	50. <i>y</i> < 5
$x \le 9$	$x + y \ge -1$	y > -6
x + y < 15	$x - y \ge -2$	$2x + y \ge -1$
y < x	$x - y \le 2$	$y \le x + 3$



51. Solution POOL CHEMICALS You are a lifeguard at a community pool, and you are in charge of maintaining the proper pH (amount of acidity) and chlorine levels. The water test-kit says that the pH level should be between 7.4 and 7.6 pH units and the chlorine level should be between 1.0 and 1.5 PPM (parts per million). Let *p* be the pH level and let *c* be the chlorine level (in PPM). Write and graph a system of inequalities for the pH and chlorine levels the water should have.

HEALTH In Exercises 52–54, use the following information.

For a healthy person who is 4 feet 10 inches tall, the recommended lower weight limit is about 91 pounds and increases by about 3.7 pounds for each additional inch of height. The recommended upper weight limit is about 119 pounds and increases by about 4.9 pounds for each additional inch of height.

Source: Dietary Guidelines Advisory Committee

Full Page View

(目)

- **52.** Let *x* be the number of inches by which a person's height exceeds 4 feet 10 inches and let *y* be the person's weight in pounds. Write a system of inequalities describing the possible values of *x* and *y* for a healthy person.
- 53. Use a graphing calculator to graph the system of inequalities from Exercise 52.
- 54. What is the recommended weight range for someone 6 feet tall?

SHOE SALE In Exercises 55 and 56, use the shoe store ad shown below.

- **55.** Let *x* be the regular footwear price and *y* be the discount price. Write a system of inequalities for the regular footwear prices and possible sale prices.
- **56.** Graph the system you wrote in Exercise 55. Use your graph to estimate the range of possible sale prices for shoes that are regularly priced at \$65.



57. WEIGHTLIFTING RECORDS The men's world weightlifting records for the 105-kg-and-over weight category are shown in the table. The combined lift is the sum of the snatch lift and the clean and jerk lift. Let *s* be the weight lifted in the snatch and let *j* be the weight lifted in the clean and jerk. Write and graph a system of inequalities to describe the weights you could lift to break the records for both the snatch and combined lifts, but *not* the clean and jerk lift.

Men's +105 kg World Weightlifting Records				
Snatch Clean & Jerk Combined				
205.5 kg	262.5 kg	465.0 kg		

DATA UPDATE of International Weightlifting Federation data at www.mcdougallittell.com

58. BIOLOGY CONNECTION Each day, an average adult moose can process about 32 kilograms of terrestrial vegetation (twigs and leaves) and aquatic vegetation. From this food, it needs to obtain about 1.9 grams of sodium and 11,000 Calories of energy. Aquatic vegetation has about 0.15 gram of sodium per kilogram and about 193 Calories of energy per kilogram, while terrestrial vegetation has minimal sodium and about four times more energy than aquatic vegetation. Write and graph a system of inequalities describing the amounts *t* and *a* of terrestrial and aquatic vegetation, respectively, for the daily diet of an average adult moose.
Source: Biology by Numbers

FOCUS ON



RONNY WELLER of Germany set the world records for the snatch lift and combined lift in 1998. His records for these lifts are listed in the table for Ex. 57. Weller has won 3 Olympic medals: one gold, one silver, and one bronze.

		Fu	ull Page View	Section	Page		Page	Section
Go to classzone.com	Table of Contents	$(\mathcal{P}(\mathcal{P}))$		**	<	Page 7 of 7	\triangleright	>>>

- **59. CRITICAL THINKING** Write a system of three linear inequalities that has no solution. Graph the system to show that it has no solution.
- 60. MULTIPLE CHOICE Which system of inequalities is graphed at the right? (A) x + y > -5 $-2x + y \ge 3$ (B) x + y > -5-2x + y < 3(C) x + y > -5 $-2x + y \le 3$ (D) x + y > -5-2x + y > 3
- **61. MULTIPLE CHOICE** Which ordered pair is *not* a solution of the following system of inequalities?

(A) (0, 0)



(B) (-1, 2)

(D) (2, 2)

64.

† Challenge

Test 😪

Preparation

WRITING A SYSTEM Write a system of linear inequalities for the region.





(C) (4, 1)



EXTRA CHALLENGE
 www.mcdougallittell.com

65. VISUAL THINKING Write a system of linear inequalities whose graph is a pentagon and its interior.

MIXED REVIEW

EVALUATING EXPRESSIONS Evaluate the expression for the given values of *x* and *y*. (Review 1.2 for 3.4)

66. 2x + 7y when x = 5 and y = -3**67.** -4x - 3y when x = -6 and y = -1

68. 10x - 3y when x = -4 and y = 2 **69.** -y + 8x when y = -3 and x = -2

DETERMINING CORRELATION Tell whether x and y have a *positive correlation*, a *negative correlation*, or *relatively no correlation*. (Review 2.5)



CHOOSING A METHOD Solve the system using any algebraic method. (Review 3.2)

73. $13x + 5y = 2$	74. $-2x + 7y = 10$	75. $5x + 6y = -12$
x - 4y = 10	x - 3y = -3	10x + 12y = 24
76. $-7x + 5y = 0$	77. $-4x - 10y = 12$	78. $6x - 8y = -18$
14x - 8y = 2	x + 5y = 2	-3x + 4y = 9